Welcome to STN International! Enter x:x

LOGINID: SSSPTA1204BXD

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
* * * * *
                    Welcome to STN International
                 Web Page URLs for STN Seminar Schedule - N. America
NEWS
                 "Ask CAS" for self-help around the clock
NEWS
                 CA/CAplus records now contain indexing from 1907 to the
NEWS
         SEP 09
                 present
                 New pricing for EUROPATFULL and PCTFULL effective
NEWS
         AUG 05
                 August 1, 2003
                 Field Availability (/FA) field enhanced in BEILSTEIN
NEWS
        AUG 13
                 Data available for download as a PDF in RDISCLOSURE
NEWS
        AUG 18
NEWS
     7
         AUG 18
                 Simultaneous left and right truncation added to PASCAL
                 FROSTI and KOSMET enhanced with Simultaneous Left and Righ
NEWS
    8
        AUG 18
                 Truncation
                 Simultaneous left and right truncation added to ANABSTR
NEWS
        AUG 18
NEWS 10
         SEP 22
                 DIPPR file reloaded
NEWS 11
                 INPADOC: Legal Status data to be reloaded
         SEP 25
        SEP 29
                 DISSABS now available on STN
NEWS 12
NEWS 13
        OCT 10
                 PCTFULL: Two new display fields added
        OCT 21
                 BIOSIS file reloaded and enhanced
NEWS 14
NEWS 15
        OCT 28
                BIOSIS file segment of TOXCENTER reloaded and enhanced
NEWS EXPRESS OCTOBER 01 CURRENT WINDOWS VERSION IS V6.01a, CURRENT
              MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),
              AND CURRENT DISCOVER FILE IS DATED 23 SEPTEMBER 2003
              STN Operating Hours Plus Help Desk Availability
NEWS HOURS
NEWS INTER
              General Internet Information
NEWS LOGIN
              Welcome Banner and News Items
NEWS PHONE
              Direct Dial and Telecommunication Network Access to STN
NEWS WWW
              CAS World Wide Web Site (general information)
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 16:39:23 ON 04 NOV 2003

=> fil reg COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 16:39:32 ON 04 NOV 2003 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file

provided by InfoChem.

STRUCTURE FILE UPDATES: 3 NOV 2003 HIGHEST RN 612478-18-9 DICTIONARY FILE UPDATES: 3 NOV 2003 HIGHEST RN 612478-18-9

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2003

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details: http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

=> Uploading 09680371.str

L1 STRUCTURE UPLOADED

=> d query

L1 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

(O)

=> s 11 SAMPLE SEARCH INITIATED 16:39:54 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 132 TO ITERATE

100.0% PROCESSED 132 ITERATIONS 5 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 1951 TO 3329

PROJECTED ANSWERS: 5 TO 234

L2 5 SEA SSS SAM L1

=> s l1 full FULL SEARCH INITIATED 16:39:59 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 2730 TO ITERATE

100.0% PROCESSED 2730 ITERATIONS 52 ANSWERS

SEARCH TIME: 00.00.01

L3 52 SEA SSS FUL L1

=> fil caplus

COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST
148.15
148.36

FILE 'CAPLUS' ENTERED AT 16:40:02 ON 04 NOV 2003 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available

for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 4 Nov 2003 VOL 139 ISS 19 FILE LAST UPDATED: 3 Nov 2003 (20031103/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13 L4 7 L3

=> d l4 1-7 abs ibib hitstr

L4 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
AB We developed novel distyryl compds. aiming red light-emitting materials
for org. EL active panels. Both photoluminescence and
electroluminescence
spectra have the peaks in the region of 630-650 nm. They have good
fluorescence quantum yield(0.8-0.97, in soln.), and high glass transition
temp. (103-120.degree.C). Use of BSN as an emitting material enables
fabrication of fine red EL device that exhibits high luminance

efficiency. ACCESSION NUMBER: DOCUMENT NUMBER:

2003:426713 CAPLUS
139:252434
Red emitting materials for organic EL display
Ichimura, Mari: Ishibashi, Tadashi: Ueda, Naoyuki:
Tamura, Shin-ichiro
Organic EL Development, Core Technology & Network
Commanu. Japan TITLE: AUTHOR(S):

CORPORATE SOURCE:

SOURCE:

Organic EL Development, Core Technology & Network Company, Japan Proceedings of the Sony Research Forum (2002), Volume Date 2001, 11th, 329-334 CODEN: PSRFFO: ISSN: 1340-3508 Soni K.K., R & D Senryakubu Journal; (computer optical disk) English PUBLISHER: DOCUMENT TYPE: LANGUAGE: IT 253868-96-

IAGE: 253868-96-1P 25386-96-1P
RL: DEV (Device component use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (red emitting materials for org. EL display) 253868-96-1 CAPLUS 9,10-Anthracenedicarbonttrile, 2,6-bis[2-[4-(4-methoxyphenyl]phenylamino]phenyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

REFERENCE COUNT:

THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN

PAGE 1-B

443971-41-3 CAPLUS

CN Benzenamine, N-[4-[4-[(2-ethylhexyl)oxy]-2,5-diiodophenoxy)phenyl]-4-[2-[6-

[2-[4-[(4-methoxyphenyl)phenylamino]phenyl]ethenyl]-2-anthracenyl]ethenyl]N-phenyl-, polymer with 1-{(2-ethylhexyl)oxy|-2,5-diodo-4-methoxybenzene
and 2,2'-[{2-(4)ethylhexyl)oxy|-5-methoxy-1,4-phenylene]di-2,1ethenedlyl]bis[1,3,2-dioxaborolane] (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
AB The element has an org. layer (including a light-emitting region) between an anode and a cathode, wherein the org. layer contains an electoconductive polymer including a styryl compd. (a distyryl compd., preferably) chem. bonded to the main or side chain of the polymer.

ACCESSION NUMBER: 2002:553526 CAPLUS

DOCUMENT NUMBER: 137:132204

Organic electroluminescent (EL) elements for full-color flat displays with high brightness and durability

INVENTOR(S): Tamura, Shinichiro; Ishibashi, Tadashi; Ichimura, Mari

Mari PATENT ASSIGNEE(S): SOURCE:

Sony Corp., Japan Jpn. Kokai Tokkyo Koho, 32 pp. CODEN: JKXXAF Patent Japanese

DOCUMENT TYPE: LANGUAGE: FAMILY ACC. NUM. COUNT: PATENT INFORMATION:

KIND DATE APPLICATION NO. DATE PATENT NO. KIND DATE APPLICATION NO. DATE

JP 20020488 A2 20020726 JP 2001-4859 20010112

PRIORITY APPLN. INFO: JP 2001-4859 20010112

IT 443971-39-9 443971-41-3

RL: TEM (Technical or engineered material use); USES (Uses)
(light emitter; org. EL elements conty. elec. conductive polymers having distyryl structures with high brightness and durability)

RN 43971-39-9 CAPLUS

CN 9,10-Anthracenedicarbonitrile, 2-{2-{4-{4-{4-{(2-ethylhexyl)oxyl-2,5-diodophenoxyl)phenyl|aphenylamino|phenyl|ethenyl|-, polymer with

1-(2-ethylhexyl)oxyl-2,5-diiodo-4-methoxybenzene and 2,2'-[2-{(2-ethylhexyl)oxyl-3-methoxy-1,4-phenylene)di-2,1-ethenediyl)bis[1,3,2-dioxaborolane] (9CI) (CA INDEX NAME)

CRN 443971-38-8 CMF C71 H58 I2 N4 O3

PAGE 1-A

ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN CRN 443971-40-2 CMF C69 H60 I2 N2 O3

PAGE 1-A

PAGE 1-B

2

CM 1

ANSWER 3 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

321709-39-1 CAPLUS 9,10-Anthracendicarbonitrile, 2,6-bis{2-{4-(1-naphthalenylphenylamino)phenyl}ethenyl}- (CA INDEX NAME)

PAGE 1-A

ANSWER 3 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN

The electroluminescence (EL) elements contain aminostyryl compds. Y1CH:CHX1CH:CHY2 and/or Y3CH:CHX2 (X1 = substituted anthracenylene (substituent = halo, nitro, cyano, CF3, etc.); X2 = (un)substituted Ph, naphthalenyl, anthracenyl, phenanthrenyl, pyrenyl (substituent = H, halo, nitro, cyano, CF3); Y1-3 = H, alkyl, aryl that may contain C6H4N2122, I, or (un)substituted Ph; Z1, Z2 = H, alkyl, aryl; R142-153 = H, alkyl, aryl; R142-153 = H, arvl.

aryl,
alkoxy, halo, etc.].
ACCESSION NUMBER:
DOCUMENT NUMBER:
TITLE:

2002:349431 CAPLUS 136:377566

136:37/566
Red organic electroluminescence elements with good color stability and high brightness for displays Ishibashi, Tadashi; Ichimura, Mari; Tamura, Shinichiro; Ueda, Naoyuki Sony Corp., Japan Jpn. Kokai Tokkyo Koho, 31 pp.
CODEN: JKXXAF
Patent

INVENTOR (S):

PATENT ASSIGNEE(S): SOURCE:

DOCUMENT TYPE: Patent FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO. KIND DATE PATENT NO. KIND DATE APPLICATION NO.

JP 2002134276 A2 20020510 JP 2000-329902
PRIORITY APPLN. INFO: JP 2000-329902
OTHER SOURCEIS): MARPAT 136:377566
IT 253869-00-0 321709-39-1 APPLICATION NO. DATE 20001030

RE: TEM (Technical or engineered material use); USES (Uses) (red org. EL elements with good color stability and high brightness

for displays)

RN 253869-00-0 CAPLUS

RN 9,10-Anthracenedicarbonitrile,
2,6-bis[2-[4-(diphenyl]amino)phenyl]ethenyl](9CI) (CA INDEX NAME)

ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN

Title compds. e.g., (I; R2, R3 = unsubstituted aryl; R1, R4 = substituted aryl; R5, R6 = H, cyano, NO2, CF3, halo), were prepd. Thus, 9,10-dicyano-2,6-bis(dicthylphosphonomethyl)anthracene (prepn. given) was stirred with NaH in THF/DMF; 4[-N-phenyl-N-(4-methoxyphenyl)amino)benzaldehyde in THF was added followed by 7 h

stirring
to give 14% I (R2, R3 = Ph; R1, R4 = 4-MeOC6H4; R5, R6 = cyano). This
showed a fluorescence max. at 645 mm. Schematics of org.
electroluminescent elements and a flat display are given.
ACCESSION NUMBER: 2001:261095 CAPLUS
DCUMENT NUMBER: 134:280615
TITLE: Preparation of bis(aminostyryl)anthracenes as organ

Preparation of bis(aminostyryl)anthracenes as organic luminescent materials.
Ichimura, Mari; Ishibashi, Tadashi; Tamura,

INVENTOR (S):

Shinichiro PATENT ASSIGNEE(S): SOURCE: Sony Corporation, Japan Eur. Pat. Appl., 145 pp. CODEN: EPXXDW Patent English 2

DOCUMENT TYPE: LANGUAGE: FAMILY ACC. NUM. COUNT: PATENT INFORMATION:

PATENT NO. KIND DATE PATENT NO. KIND DATE

EP 1090911 A2 20010411 EP 2000-121754 20001005
EP 1090911 A3 20010808
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO

JP 2001106657 A2 20010417 JP 1999-285254 19991006

PRIORITY APPLN. INFO.: JP 1999-285254 A 19991006

OTHER SOURCE(S): MARPAT 134:280615
IT 253868-51-6P 253869-96-1P 253869-00-0P
21709-36-0P 212709-39-1P 333426-76-P
333426-38-0P 333426-57-6P 333426-16-P
333426-19-2P 333426-67-0P 333426-16-P
333426-99-2P 333426-68-1P 333426-67-2P
333426-80-3P 333426-68-1P 333426-87-2P
333426-80-3P 333426-80-3P 333426-80-7P
333426-80-3P 333426-80-1P 333426-87-2P
333426-80-3P 333426-80-1P 333426-87-2P
333426-80-3P 333426-80-3P 333426-80-7P
333426-80-3P 333426-80-3P 333426-80-7P
333426-80-3P 333426-80-3P 333426-80-3P
333426-80-3P 333426-80-3P 333426-80-3P APPLICATION NO. DATE

PAGE 1-A

PAGE 1-B

253868-96-1 CAPLUS 9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-[4-methoxyphenyl]phenylamino]phenyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

RN 253869-00-0 CAPLUS
CN 9,10-Anthracenedicarbonitrile,
2,6-bis[2-[4-(diphenylamino)phenyl]ethenyl]-

ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-A

PAGE 1-B

RN 333426-57-6 CAPLUS
CN 9-Anthracenecarbonitrile,
2,6-bis[2-[4-[4-(t-dethoxyphenyl]phenylamino]pheny
1]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

333426-58-7 CAPLUS Benzenamine, 4,4'-(2,6-anthracenediyldi-2,1-ethenediyl)bis[N,N-diphenyl-(9CI) (CA INDEX NAME)

ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (9CI) (CA INDEX NAME) (Continued)

321709-36-8 CAPLUS
9,10-Anthracenedicarbonitrile, 2,6-bis[2-{4-(di-1-naphthalenylamino)phenyl}ethenyl}- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

321709-39-1 CAPLUS 9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-(1-naphthalenyiphenylamino)phenyl)ethenyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

333426-59-8 CAPLUS
Benzenamine, 4,4'-[(9,10-dibromo-2,6-anthracenediyl)di-2,1-ethenediyl)bis[N-(4-methylphenyl)-N-phenyl- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

333426-72-5 CAPLUS
9,10-Anthracenedicarbonitrile, 2,6-bis{2-[4-[(4-methoxyphenyl)-l-naphthalenylamino]phenyl]ethenyl]- {9CI} (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

333426-73-6 CAPLUS
9,10-Anthracemedicarbonitrile, 2,6-bis(2-(4-[(4-cyclohexylphenyl)phenylphenylphenyl)- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

333426-74-7 CAPLUS
9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-[[4-(cyclohexyloxy)phenyl]phenylaminolphenyl]ethenyl]- (9CI) (CA INDEX NAME)

ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-B

PAGE 1-A

333426-77-0 CAPLUS
9,10-Anthracenedicarbonitrile, 2,6-bis{2-[4-{(4-methylphenyl) (5,6,7,8-tetrahydro-1-naphthalenyl) amino)phenyl]ethenyl)- (9CI) (CA INDEX NAME) RN CN

PAGE 1-A

PAGE 1-B

333426-78-1 CAPLUS
9-Anthracenecarbonitrile, 2,6-bis[2-[4-(diphenylamino)phenyl]sthenyl]-

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-A

PAGE 1-B

333426-75-8 CAPLUS
9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-[phenyl(5,6,7,8-tetrahydro-l-naphthalenyl]amino]phenyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

333426-76-9 CAPLUS 9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-[(4-methoxyphenyl)[5,6,7,8-tetrahydro-1-naphthalenyl)aminojphenyl]ethenyl]- [9C1] (CA INDEX NAME)

ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (9CI) (CA INDEX NAME) (Continued)

333426-79-2 CAPLUS
9-Anthracenecarbonitrile, 2,6-bis[2-[4-[bis[4-methoxyphenyl]amino]phenyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

PAGE 1-A

PAGE 1-B

RN 333426-81-6 CAPLUS
CN 9-Anthracenecarbonitrile, 2,6-bis[2-[4-[bis(4-methylphenyl)amino]phenyl]ethenyl)- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

RN 333426-82-7 CAPLUS
CN 9-Anthracenecarbonitrile,
2,6-bis[2-[4-[4-(dimethylamino)phenyl]phenylami
no)phenyl]ethenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-A

PAGE 1-B

RN 333426-85-0 CAPLUS
CN 9-Anthracenecarbonitrile, 2,6-bis[2-[4-[(4-methoxyphenyl)-1-naphthalenylamino]phenyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-A

PAGE 1-B

RN 333426-83-8 CAPLUS
CN 9-Anthracenecarbonitrile,
2,6-bis[2-[4-(1-naphthalenylphenylamino)phenyl]e
thenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

RN 333426-84-9 CAPLUS
CN 9-Anthracenecarbonitrile,
2,6-bis[2-[4-(di-1-naphthalenylamino)phenyl]ethe
nyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-B

RN 333426-86-1 CAPLUS
CN 9-Anthracenecarbonitrile,
2,6-bis[2-[4-[4-cyclohexylphenyl)phenylamino]ph
enyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

RN 333426-87-2 CAPLUS
CN 9-Anthracenecarbonitrile,
2,6-bis[2-[4-[4-(eyclohexyloxy)phenyl]phenylami
no]phenyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

333426-88-3 CAPLUS
9-Anthracenecarbonitrile, 2,6-bis[2-[4-[phenyl(5,6,7,8-tetrahydro-l-naphthalenyl)amino]phenyl]ethenyl]- [9CI] (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

333426-89-4 CAPLUS
9-Anthracenecarbonitrile, 2,6-bis[2-[4-[(4-methoxyphenyl)(5,6,7,8-tetrahydro-1-naphthalenyl)amino)phenyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-B

333426-92-9 CAPLUS Benzenamine, 4,4'-(2,6-anthracenediyldi-2,1-ethenediyl)bis[N,N-bis(4-methoxyphenyl)- (GCI NDEX NAME)

PAGE 1-A

PAGE 1-B

333426-93-0 CAPLUS
BENZENAMINE, 4,4'-{2,6-anthracenediyldi-2,1-ethenediyl}bis{N-(4-methylphenyl)-N-phenyl- {9CI} (CA INDEX NAME)

PAGE 1-B

PAGE 1-A

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-B

333426-90-7 CAPLUS
9-Anthracenecarbonitrile, 2,6-bis[2-[4-[(4-methylphenyl)] (5,6,7,8-tetrahydro-1-naphthalenyl)amino[phenyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

RN 333426-91-8 CAPLUS
CN Benzenamine,
4,4'-[(9-bromo-2,6-anthracenediy1)di-2,1-ethenediy1]bis[N-(4-methylpheny1)-N-pheny1- (9CI) (CA INDEX NAME)

PAGE 1-A

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

333426-94-1 CAPLUS
Benzenamine, 4,4'-(2,6-anthracenediyldi-2,1-ethenediyl)bis[N,N-bis(4-methylphenyl)- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

333426-95-2 CAPLUS
1,4-Benzenediamine, N,N''-[2,6-anthracenediylbis(2,1-ethenediyl-4,1-phenylene)]bis[N',N'-dimethyl-N-phenyl- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

333426-97-4 CAPLUS
1-Maphthalenamine, N,N'-[2,6-anthracenediylbis(2,1-ethenediyl-4,1-phenylene)]bis(N-phenyl- (9CI) (CA INDEX NAME)

(Continued) PAGE 1-A

(Continued) PAGE 1-A

PAGE 1-B

333426-99-6 CAPLUS
1-Maphthalenamine, N,N'-[2,6-anthracenediylbis(2,1-ethenediyl-4,1-phenylene)|bis(N-1-naphthalenyl- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

333427-01-3 CAPLUS
1-Naphthalenamine, N,N'-[2,6-anthracenediylbis(2,1-ethenediyl-4,1-phenylene)]bis(N-(4-methoxyphenyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-A

PAGE 1-B

333427-08-0 CAPLUS
1-Maphthalenamine, N,N'-[2,6-anthracenediylbis(2,1-ethenediyl-4,1-phenylen)|bis(5,6,7,8-tetrahydro-N-phenyl-(9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

333427-10-4 CAPLUS
1-Maphthalenamine, N,N'-{2,6-anthracenediylbis(2,1-ethenediyl-4,1-phenylene)}bis(5,6,7,8-tetrahydro-N-(4-methoxyphenyl)- (9CI) (CA INDEX NAME)

PAGE 1-B

333427-03-5 CAPLUS
Benzenamine, 4,4'-(2,6-anthracenediyldi-2,1-ethenediyl)bis[N-(4-cyclohexylphenyl)-N-phenyl- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

333427-05-7 CAPLUS Benzenamine, 4,4'-(2,6-anthracenediyldi-2,1-ethenediyl)bis[N-[4-(cyclohexyloxy)phenyl]-N-phenyl- (9CI) (CA INDEX NAME)

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-A

PAGE 1-B

333427-12-6 CAPLUS
1-Maphthalenamine, N,N'-{2,6-anthracenediylbis(2,1-ethenediyl-4,1-phenylene)}bis(5,6,7,8-tetrahydro-N-(4-methylphenyl)- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B



RN 333427-16-0 CAPLUS

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)
9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-{bis[4-methoxyphenyl]amino]phenyl]ethenyl}- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

RN 333427-18-2 CAPLUS
CN 9,10-Anthracenedicarbonitrile, 2,6-bis[2-(4-[(4-methylphenyllphenylaminolphenyllethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued

Ph NMe2

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-B

RN 333427-20-6 CAPLUS

9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-[bis(4-methylphenyl)amino]phenyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

RN 333427-22-8 CAPLUS
CN 9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-[[4(dimethylamino)phenyl]phenylamino]phenyl]ethenyl]- (CA INDEX NAME)

PAGE 1-A

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN

AB Org. electroluminescent devices comprising an org. layer, which contains at least one distrypt compd. RIRZN-p-C6844-CRICKCH:CH-p-C684-NR3R4 [R1,4]

H, or (un)substituted aryl or naphthyl; X = cyano, nitro or halo substituted anthracene].

ACCESSION NUMBER: 2001:78059 CAPLUS
DOCUMENT NUMBER: 134:139023

TITLE: Organic electroluminescent device
INVENTOR(S): Ishibashi, Tadashi; Ichimura, Mari; Tamura, Shinichiro
PATENT ASSIGNEE(S): Sony Corp., Japan
SOURCE: CODEN: EYXXDW

DOCUMENT TYPE: Patent
LANGUAGE: Patent

PAGE 1-A

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN

(Continued)

PAGE 1-B

321709-39-1 CAPLUS
9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-{1-naphthalenylphenylamino)phenyl]ethenyl}- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

321709-41-5 CAPLUS
9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-[(4-methoxy-1-naphthalenyl)phenylamino]phenyl]ethenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-A

PAGE 1-B

IT

321709-36-8
RL: DEV (Device component use); USES (Uses)
(org. electroluminescent devices employing distyryl compds.)
321709-36-8 CAPLUS
9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-[di-1-naphthalenylamino)phenyl]ethenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-A

$$CH = CH - CH - CH - CH$$

PAGE 1-B

321709-42-6 CAPLUS
9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-[2-naphthalenylphenylamino)phenyl]ethenyl]- [9CI] (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

321709-44-8 CAPLUS
1-Maphthalenamine, N,N'-[(9,10-difluoro-2,6-anthracenediyl)bis(2,1-ethenediyl-4,1-phenylene)}bis(N-1-naphthalenyl- (9CI) (CA INDEX NAME)

ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-B

The invention refers to an org. electroluminescent device, suitable for use in flat panel displays such as computer monitors and TV screens,

n contain the di-styryl compd. I [Rl-4 = benzene substituted with at least one (un)satd. alkoxyl, or alkyl] as an electroluminescent material for

luminescence.

2000:34394 CAPLUS
132:85755
Organic electroluminescent component
Ishibashi, Yoshi; Ichimura, Mari; Tamura, Shinichiro
Sony Corp., Japan
Jpn. Kokai Tokkyo Koho, 11 pp.
CODEN: JKXXAF luminescence.
ACCESSION NUMBER:
DOCUMENT NUMBER:
TITLE:
INVENTOR(S):
PATENT ASSIGNEE(S):
SOURCE:

DOCUMENT TYPE:

Japanese 1 LANGUAGE: FAMILY ACC. NUM. COUNT: PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2000012228	A2	20000114	JP 1998-180583	19980626
US 2001038924	A1	20011108	US 1999-344211	19990624
US 6440585	B2	20020827		
CN 1242682	A	20000126	CN 1999-110983	19990625
KR 2000006491	A	20000125	KR 1999-24405	19990626
ORITY APPLN. INFO.:		JP	1998-180583 A	19980626
ER SOURCE(S):	MΑ	RPAT 132:85755		

PRIO OTHE IT 253868-51-8

253868-51-8
RL: DBV (Device component use); USES (Uses)
 (org. electroluminescent component)
253868-51-8 CAPLUS
Benzenamine, 4,4*-(2,6-anthracenediyldi-2,1-ethenediyl)bis{N-(4-methoxyphenyl)-N-phenyl- (9CI) (CA INDEX NAME)

PAGE 1-A

ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

The invention refers to an org. electroluminescent device, suitable for use in flat panel displays such as computer monitors and TV screens,

contains the di-styryl compd. I [R1-4 = unidentical Ph substituted with

contains the di-styryl compd. I [RI-4 * unidentical Ph substituted with at least one (un)satd. alkoxyl, or alkyl; and R5-12 contain at least one cyano, nitro or halo], and/or II [RI8-25 contain at least one cyano, nitro, or halo] as an electroluminescent material for red luminescence. ACCESSION NUMBER: 2000:32675 CAPLUS

DOCUMENT NUMBER: 132:85740

TITLE: 0rganic electroluminescent component 1900 Source: 2000 Source:

PATENT NO. KIND DATE APPLICATION NO. DATE

JP 2000012227 A2 20000114 JP 1998-180582 19980626
US 6242116 B1 20010605 US 1999-339368 19990624
CN 1241893 A 20000119 CN 1999-111215 19990625
PRIORITH APPLN. INFO.: MARPAT 132:85740
IT 233869-96-1 253869-00-0
RL: DEV (Device component use): USES (USES)
(org. electroluminescent component)
RN 233869-96-1 CAPLUS
CN 9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-[(4-methoxyphenyl)phenyl]mino]phenyl]ethenyl1- (9CI) (CA INDEX NAME)

PAGE 1-A

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN (Continued)

PAGE 1-B

RN 253869-00-0 CAPLUS CN 9,10-Anthracenedicarbonitrile, 2,6-bis[2-[4-(diphenylamino)phenyl]ethenyl]-[9C1] (CA INDEX NAME)

=> logoff y COST IN U.S. DOLLARS

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST 36.76 185.12

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION

CA SUBSCRIBER PRICE -4.56 -4.56

STN INTERNATIONAL LOGOFF AT 16:47:25 ON 04 NOV 2003